



## Reassurance - 3 Phase UPS

### Modular Cabinet Design Offers a Customizable Solution:



#### Applications:

- -80° Freezers
- Vaccine Refrigerators
- Fume Hoods
- Sensitive Lab Equipment
- Operating Room Equipment
- Incubators
- Histology Equipment
- Imaging Equipment
- Mission Critical Medical Devices


#### Features:

- Internal Transfer Switch
- 4 Duplex Outlets
- Digital Control LCD Screen
- 2 Year Warranty
- 4 Year Prorated Battery Warranty
- Space Saving Design
- No Ventilation Necessary
- No Exhaust or Fumes
- Auto Transfers in less than 1 Sec.

## HOW OUR SYSTEMS WORK:


### STANDBY MODE

Utility power charges the system and flows through to power the appliance.




### POWER OUTAGE

When utility power is lost the system auto transfers to draw from the battery bank within a second



### RECHARGE MODE

When utility power is restored the system auto transfers back to utility power.



**Reassurance - 3 Phase UPS**

**ELECTRICAL INFORMATION:**

Model Numbers	Wattage	Voltage	Surge Watts	Hook-Up	Input Amps	Output	Conduit
MD15KW122V-3PH	15,000	208	30,000	6 Gauge 4 Conductor	60 Amps	60 Amp	1" PVC Flex
MD21.6KW120O-3PH	21,600	208	43,200	6 Gauge 4 Conductor	60 Amp	60 Amp	1" PVC Flex
MD21.6KW240O-3PH	21,600	208	43,200	6 Gauge 4 Conductor	60 Amp	60 Amp	1: PVC Flex

**SYSTEM SIZE**



Model Numbers	Waveform	Width	Depth	Height (In)	Weight (lbs)	Carts
MD15KW122V-3PH	Pure	68.00"	18.00"	55.00"	1575.	2
MD21.6KW120O- 3PH	Pure	68.00"	18.00"	55.00"	1575	2
MD21.6KW240O-3PH	Pure	98.00"	18.00"	55.00"	2615	3

**OTHER OPTIONS:**

**Notes:** All systems are Standard 120 Volts any 240 Volts systems will need specified with the order.

All systems being supplied with 208 volts will require an isolation transformer: C1F005GES

**Heat Output:** Full Bulk Charge Mode: 1450 BTU per hr  
 Inverting @ Full Rated Wattage: 2250 BTU per hr  
 Inverting @ 0 Watts: 85 BTU per hr



**Power Outage Alert:**

The optional power outage alert system calls you when a power outage occurs. This feature offers you peace of mind and better control when dealing with power failures.

**Battery Monitor Kit:**

The optional battery monitor kit enables you to remotely monitor the battery during a power outage via the internet, by offering an estimated runtime based upon the rate of discharge.

**UNIT DIMENSIONS**

